




I'm not robot



**Continue**

30471921.5 184816089152 12324855350 17882567.450549 17865928.62 26888836536 21100950774 58196916.666667 2506812.6 9790248.5066667 701135.93548387

Heißeleiter / Thermistor 92-027-006

Temp. °C	Geber / Sensor		
	R (Ohm)	± Tol (%)	± Tol (Ohm)
-40.0	36563.56	14.26	5212.38
-35.0	26284.63	13.87	3645.02
-30.0	19149.20	13.48	2581.58
-25.0	14127.68	13.11	1851.71
-20.0	10540.68	12.77	1346.27
-15.0	7721.35	12.60	972.85
-10.0	5720.88	12.45	712.14
-5.0	4284.03	12.32	527.68
0	3240.18	12.21	395.75
5.0	2473.60	12.13	300.01
10.0	1905.87	12.05	229.70
15.0	1486.65	12.10	179.88
20.0	1168.64	12.17	142.19
25.0	926.71	12.25	113.52
30.0	739.98	12.34	91.32
35.0	594.90	12.43	73.97
40.0	481.53	12.51	60.26
45.0	392.57	12.58	48.51
50.0	322.17	12.67	39.20
55.0	266.19	12.77	31.87
60.0	221.17	12.87	26.02
65.0	184.72	12.98	21.42
70.0	155.29	13.09	17.64
75.0	131.38	13.21	14.45
80.0	112.08	13.34	11.75
85.0	96.40	13.47	9.64
90.0	82.96	13.61	8.03
95.0	71.44	13.76	6.66
100.0	61.92	13.91	5.49
105.0	54.01	14.07	4.56
110.0	47.24	14.24	3.81
115.0	41.42	14.42	3.20
120.0	36.51	14.61	2.67
125.0	32.38	14.81	2.38
130.0	28.81	15.02	2.13
135.0	25.70	15.24	1.99
140.0	23.00	15.47	1.86
145.0	20.66	15.71	1.73
150.0	18.59	15.96	1.61
155.0	16.74	16.22	1.48
160.0	15.11	16.49	1.37
165.0	13.66	16.77	1.26
170.0	12.38	17.06	1.17
175.0	11.25	17.36	1.09
180.0	10.24	17.67	1.01

Prüfmedium  
Test fluid:  
Martotherm S

TU00-0770-7104620

1005

(1-23) 3

Temperatursensor / Temperature Sensors  
Resistive Tables / Characteristic Curve Table 2

Heißeleiter / Thermistor 92-027-006

Temp. °C	R (Ohm)	± Tol (%)	± Tol (Ohm)
-40.0	36563.56	14.26	5212.38
-35.0	26284.63	13.87	3645.02
-30.0	19149.20	13.48	2581.58
-25.0	14127.68	13.11	1851.71
-20.0	10540.68	12.77	1346.27
-15.0	7721.35	12.60	972.85
-10.0	5720.88	12.45	712.14
-5.0	4284.03	12.32	527.68
0	3240.18	12.21	395.75
5.0	2473.60	12.13	300.01
10.0	1905.87	12.05	229.70
15.0	1486.65	12.10	179.88
20.0	1168.64	12.17	142.19
25.0	926.71	12.25	113.52
30.0	739.98	12.34	91.32
35.0	594.90	12.43	73.97
40.0	481.53	12.51	60.26
45.0	392.57	12.58	48.51
50.0	322.17	12.67	39.20
55.0	266.19	12.77	31.87
60.0	221.17	12.87	26.02
65.0	184.72	12.98	21.42
70.0	155.29	13.09	17.64
75.0	131.38	13.21	14.45
80.0	112.08	13.34	11.75
85.0	96.40	13.47	9.64
90.0	82.96	13.61	8.03
95.0	71.44	13.76	6.66
100.0	61.92	13.91	5.49
105.0	54.01	14.07	4.56
110.0	47.24	14.24	3.81
115.0	41.42	14.42	3.20
120.0	36.51	14.61	2.67
125.0	32.38	14.81	2.38
130.0	28.81	15.02	2.13
135.0	25.70	15.24	1.99
140.0	23.00	15.47	1.86
145.0	20.66	15.71	1.73
150.0	18.59	15.96	1.61
155.0	16.74	16.22	1.48
160.0	15.11	16.49	1.37
165.0	13.66	16.77	1.26
170.0	12.38	17.06	1.17
175.0	11.25	17.36	1.09
180.0	10.24	17.67	1.01

Prüfmedium  
Test fluid:  
Martotherm S



VDO 0-10bar 0-25bar



